DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 08/21/2014 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	1 ' '	(X2) MULTIPLE CONSTRUCTION A. BUILDING B. WING		(X3) DATE SURVEY COMPLETED R 08/15/2014	
		15G033	B. WING				
NAME OF PROVIDER OR SUPPLIER			1	STREET ADDRESS, CITY, STATE, ZIP CODE		1 00/13/2014	
PATHFINDER SERVICES INC				456 W MARKET ST			
				WAE	WABASH, IN 46992		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFI TAG	x	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
{W 000}	INITIAL COMMENTS		{W 0	00}			
		post certification revisit recertification and state pleted on 5/23/2014.					
	This visit was in conjunction with a PCR (Post Certification Revisit) to the investigation of complaint #IN00151222 completed on 7/11/2014.						
	Dates of Survey: August 14 and 15, 2014. Provider Number: 15G033 Facility Number: 000593 AIM Number: 100233360 Surveyor: Susan Eakright, QIDP						
	compliance with 42 C 460 IAC 9 in regard to recertification and sta						
LABORATORY	DIRECTOR'S OR PROVIDER/	SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued

program participation.